

Hunterdon County Mosquito & Vector Control 2020 Fact Sheet

Products Used in Larval Black Fly Control

Vectobac® 12AS

What is Vectobac® 12AS and how is it used?

Vectobac® 12AS is a liquid formulation that contains the active ingredient *Bacillus thuringiensis israelensis* (Bti). Bti stands for the name of the bacteria of which certain components of these bacteria effectively control black fly larvae. Proteins from the bacteria are pathogenic to filter feeding black flies and these proteins comprise the active ingredient of Vectobac. Vectobac is applied to black fly larval habitat (generally rivers and streams) in either a concentrated or diluted fashion (by the use of water). The US Environmental Protection Agency's current evaluation considers Bti containing products to be practically non-toxic when used according to label instructions. Method of application is either by hand or truck mounted equipment.

How can exposure to Vectobac be avoided?

Although risk to the general public from use of this of this product is minimal, avoiding exposure is always the safest course of action. Because of the physical and chemical properties of Vectobac, generally the only health concern is associated with an allergic reaction to the bacteria. Residents should therefore take precautions to avoid direct eye and skin contact with Bti. Areas of the body that have come in contact with Vectobac can be washed with water. There are no specific categories of individuals who are more susceptible to problems associated with Bti; however, residents who perceive themselves at a higher risk for exposure to other products should take extra care to avoid direct contact with Bti. Such residents might include those who have general allergic reactions to a variety of other products, young children, and chronically ill individuals. Exposure can be reduced by keeping a distance from application equipment and avoiding immediate and direct contact with habitat that has been treated. Treatment information is routinely updated during the field season on the Hunterdon County website: <http://www.co.hunterdon.nj.us>. In addition, notices containing information about the use of Vectobac are periodically placed in newspapers in the Hunterdon region throughout the season.

What are the symptoms of exposure to Vectobac?

Direct exposure could cause mild irritation from eye and skin contact. These conditions could be aggravated by pre-existing skin or eye lesions and hypersensitivity. The chance of experiencing symptoms with diluted material when properly used is low. First aid procedure includes flushing exposed areas with copious amounts of water and seeking medical attention if irritation persists. Should symptoms persist, immediate medical attention is advised by either contacting a physician or by contacting the New Jersey Poison Information and Education System (NJPIES) at 1-800-222-1222.

How long does Bti last in the environment?

Bti tends to breakdown quickly in the environment, primarily due to its susceptibility to heat and sunlight. Breakdown in water generally occurs within hours of use.

Where can more information on these products be found?

Numerous publications exist on the efficacy and environmental fate of Bti. Staff of the HCMVCP can provide examples of these upon request. The following resources can also be used to attain more information on Bti as it pertains to black fly control:

National Pesticide Information Center	800-858-7378
- For overall pesticide specific information (9:30 AM – 7:30 PM)	
New Jersey Poison Information and Education System	800-222-1222
- For pesticide health information and possible exposure (24 hours)	
NJ DEP Pesticide Control Program	609-984-6057
- For NJ pesticide regulation and misuse complaints	
US EPA Region 2 Office of Pesticide Programs	732-321-6759
- For federal pesticide regulation information	
Hunterdon County Division of Health	908-788-1351
- For pesticide information and information on local black fly control	

Hunterdon County Mosquito & Vector Control 2020 Fact Sheet

Anvil®

(Sumithrin-Containing Product Used for Adult Mosquito Control)

What is Anvil® and how is it used?

Sumithrin is the active ingredient in the product Anvil® and is produced for the control of adult mosquitoes. Sumithrin is used as an ultra low volume (ULV) spray following the product label and guidelines produced by the New Jersey Agricultural Experiment Station (NJAES). Sumithrin is a synthetic form of the pyrethrins, the naturally occurring compounds found in chrysanthemum flowers, and is included in a group of products collectively known as the “pyrethroids.” Piperonyl butoxide (also known as “PBO”) is a synergist that is contained in Anvil formulations. PBO, although not capable of effectively controlling mosquitoes by alone, increases the activity of sumithrin in mosquitoes by decreasing the ability of mosquitoes to detoxify sumithrin. The US Environmental Protection Agency’s current evaluation states that pyrethroids do not pose unreasonable health risks to people or unreasonable risks to wildlife and the environment when used properly.

How can exposure to these products be avoided?

Although risk to the general public from use of this of this product is minimal, avoiding exposure is always the safest course of action. Higher risk individuals, particularly pregnant women, children and those who are chronically ill, should avoid direct contact with Anvil. Exposure can be reduced by keeping a distance from application equipment and avoiding immediate and direct contact with habitat that has been treated. Treatment information is routinely updated during the field season on the Hunterdon County website: <http://www.co.hunterdon.nj.us>. In addition, notices containing information about the use of resmethrin are periodically placed in newspapers in the Hunterdon region throughout the season. Residents can avoid incidental contact with resmethrin by remaining indoors and keeping windows closed during sumithrin applications.

What are the symptoms of exposure to Anvil?

Direct exposure could cause mild eye and skin irritation. Eyes should be flushed with plenty of water upon exposure. The chance of experiencing symptoms by exposure to Anvil when properly used is low. Should symptoms exist, immediate medical attention is advised by either contacting a physician or by contacting the New Jersey Poison Information and Education System (NJPIES) at 1-800-222-1222.

How long does Anvil last in the environment?

Sumithrin tends to breakdown relatively quickly in the environment. Breakdown is highly dependent on temperature and sunlight. In direct sunlight, resmethrin will likely breakdown in hours; however, it could persist in the soil for several days if conditions are favorable. In practical terms, sumithrin used at ULV rates will only provide mosquito control within a couple of hours of use. PBO breakdown follows a similar pattern to sumithrin although probably shows slightly greater persistence in the soil.

Where can more information on sumithrin be found?

The following resources can be used to attain more information on sumithrin as it pertains to mosquito control in Hunterdon County:

National Pesticide Information Center	800-858-7378
- For overall pesticide specific information (9:30 AM – 7:30 PM)	
New Jersey Poison Information and Education System	800-222-1222
- For pesticide health information and possible exposure (24 hours)	
NJ DEP Pesticide Control Program	609-984-6057
- For NJ pesticide regulation and misuse complaints	
US EPA Region 2 Office of Pesticide Programs	732-321-6759
- For federal pesticide regulation information	
Hunterdon County Division of Health	908-788-1351
- For pesticide information and information on local mosquito control	

Hunterdon County Mosquito & Vector Control 2020 Fact Sheet

Fyfanon Including Fyfanon ULV and Fyfanon EW

This sheet answers some basic questions about a mosquito control product in use in your county. The Hunterdon County Division of Mosquito Control, along with several other resources (listed at the end of this sheet), can provide more detailed information.

What is Fyfanon and how is it used?

Fyfanon is an insecticide product that is recommended for mosquito control in New Jersey by Rutgers, The State University of New Jersey. It contains the active ingredient called malathion. The U.S. Environmental Protection Agency's (EPA) current evaluation considers malathion-containing products to be slightly toxic with minimal potential risk to people when used properly as part of a complete mosquito control program.

Fyfanon is used for the control of adult mosquitoes and it is sold in several different formulations. Two Fyfanon products are used by Hunterdon's mosquito control program: Fyfanon ULV and Fyfanon EW. Fyfanon ULV is an oil-based formulation while Fyfanon EW is a water-based product. Both function and are applied in a similar fashion. A fine mist (known as an ultra-low volume – ULV – application) is sprayed into the air must contact flying mosquitoes must directly contact to be effective. While habitat management and measures to control immature mosquitoes in water are the preferred routine approaches, spraying of adult mosquitoes is appropriate when biting populations reach critical levels or when a disease organism is present in adult mosquitoes.

How can I avoid exposure to Fyfanon?

Risk to the general public from the use of Fyfanon is minimal. Avoiding exposure is always the safest course of action, particularly for populations that may be at higher risk such as pregnant women, children, the elderly and those with chronic illnesses. Any possible exposure risk can be reduced by following these actions:

- Pay attention to notices about spraying found through newspapers, websites, automated telephone messages or distributed by municipal, county or state agencies.
- Plan activities to limit time spent outside during times of possible pesticide treatments.
- Move children's toys out of application areas.
- Move animals and their food and water dishes out of application areas.
- Stay away from application equipment, whether in use or not.
- Whenever possible, remain indoors with windows closed and with window air conditioners on non-vent (closed to the outside air) and window fans turned off during spraying.
- Avoid direct contact with surfaces that are still wet from pesticide spraying. Do not allow children to play in areas that have been sprayed until they have completely dried (approximately one hour).
- If you must remain outdoors, avoid eye and skin contact with the spray. If you get spray in your eyes or on your skin, immediately flush and rinse with water.

What are the symptoms of exposure to Fyfanon?

Symptoms of exposure can include headache, nausea, dizziness, excessive sweating, salivation, excessive tearing and a runny nose. The chance of experiencing these symptoms of exposure with proper use is low. You should contact your physician, other medical providers or the New Jersey Poison Information and Education System (NJPIES) at 1-800-222-1222 if you experience these symptoms following a pesticide spraying. Bring this sheet with you if you visit a physician or other medical provider.

How long will Fyfanon last in the environment?

Fyfanon spray stays in the air for a short time until it lands on surfaces. Malathion has a low persistence and lasts no longer than 25 days in water and soil. Malathion breaks down faster in sunlight.

Where can I get more information on Fyfanon?

The following are resources for more information regarding Fyfanon and mosquito control in your area (unless otherwise noted, available during normal business hours):

For overall pesticide-specific information – 9:30am to 7:30pm:

National Pesticide Information Center 800-858-7378

For pesticide health information & possible exposures – 24 hours:

New Jersey Poison Information & Education System 800-222-1222

For New Jersey pesticide regulation & misuse complaints:

Bureau of Pesticide Compliance and Enforcement 609-984-6568

For Federal pesticide regulation:

USEPA Region 2 Office of Pesticide Programs 732-321-6759

For state-wide mosquito control information:

NJDEP Office of Mosquito Control Coordination 609-292-3649

For local mosquito control information:

Hunterdon County Mosquito Control 908-788-1351

For mosquito control recommendations:

Rutgers University, Department of Entomology 732-932-9437

For local health information:

Hunterdon County Health Department 908-788-1351

If residents have questions about Duet or any other mosquito control related products or practices, please feel free to call the Hunterdon County Division of Mosquito & Vector Control (908) 788-1351 or visit the program's website <http://www.co.hunterdon.nj.us/health/westnile.htm>

Hunterdon County Mosquito & Vector Control 2020 Fact Sheet

Duet Dual-Action[®] Adulticide

This fact sheet answers some basic questions about mosquito control products in use in Hunterdon County. Municipalities are encouraged to share this information with all residents in their community. The Hunterdon County Division of Mosquito & Vector Control, along with several other resources (listed at the end of this sheet), can provide more detailed information.

What is Duet Dual-Action[®] adulticide and how is it used?

Duet Dual-Action[®] contains two pesticides called prallethrin and sumithrin and a synergistic compound called piperonyl butoxide (PBO). PBO increases the effectiveness of Duet, although it does not kill mosquitoes by itself. Prallethrin and sumithrin are members of a family of pesticides called pyrethroids, which are synthetic versions of pesticides produced by plants called pyrethrins. The U.S. Environmental Protection Agency's (EPA) current evaluation considers pyrethroid-containing products to be slightly toxic with minimal potential risk to people when used properly as part of an integrated mosquito control program.

This pyrethroid-containing product is used for the control of adult mosquitoes. While habitat management and measures to control immature mosquitoes in water are preferred and most used, the spraying of adult mosquitoes is appropriate when biting populations reach critical levels or when a disease organism is present in adult mosquitoes. Duet works by contacting adult mosquitoes while they are in flight.

How can I reduce my exposure to Duet Dual-Action[®]?

Because of the small amounts of active ingredients released per acre, the risk to the general public from the use of pyrethroid-containing products is minimal. Avoiding exposure is always the safest course of action. Any possible exposure risk can be reduced by following these actions:

- Pay attention to notices about spraying found through newspapers, websites, automated telephone messages or distributed by municipal, county or state agencies.
- Plan activities to limit time spent outside during times of possible pesticide treatments.
- Move pets, their food and water dishes inside during ULV application. Also bring clothing and children's toys inside.
- Stay away from application equipment, whether in use or not.
- Whenever possible, remain indoors with windows closed and with window air conditioners on non-vent (closed to the outside air) and window fans turned off during spraying.
- Avoid direct contact with surfaces that are still wet from pesticide spraying. Do not allow children to play in areas that have been sprayed until they have completely dried (approximately one hour).
- If you must remain outdoors, avoid eye and skin contact with the spray. If you get spray in your eyes or on your skin, immediately flush and rinse with water.

What are the symptoms of exposure to Duet Dual-Action[®]?

Symptoms of over-exposure can include irritation to skin and eyes, respiratory and nasal irritation, irritability to sound or touch, abnormal facial sensation, sensation of prickling, tingling or creeping of skin, numbness, headache, dizziness, nausea and vomiting. You should contact your physician, other medical providers, or the New Jersey Poison Information and Education System (NJPIES) at 1-800-222-1222 if you experience these symptoms following a pesticide spraying.

How long will Duet Dual-Action® last in the environment?

Pyrethroids generally have a soil half-life of about 12 days. They have an extremely low pesticide movement rating because they bind tightly to the soil. Pyrethroids are unstable in light. They rapidly degrade in sunlight and at the soil surface.

Where can I get more information on this adulticide?

The following are resources for more information regarding Duet Dual-Action® and mosquito control in your area (unless otherwise noted, available during normal business hours):

For overall pesticide-specific information – 9:30am to 7:30pm:

National Pesticide Information Center 800-858-7378

For pesticide health information & possible exposures – 24 hours:

NJ Poison Information & Education System 800-222-1222

For pesticide regulation & misuse complaints:

NJDEP Bureau of Pesticide Compliance and Enforcement 609-984-6568

For pesticide regulation:

USEPA Region 2 Office of Pesticide Programs 732-321-6768

For pesticide health information:

Hunterdon County Health Department 908-788-1351

For mosquito control insecticide recommendations:

Rutgers University, Department of Entomology 732-932-9774

Where can I get more information about local mosquito control?

Hunterdon County Mosquito Control 908-788-1351

For state-wide mosquito control information:

NJDEP Office of Mosquito Control Coordination 609-292-3649

If residents have questions about Duet or any other mosquito control related products or practices, please feel free to call the Hunterdon County Division of Mosquito & Vector Control (908) 788-1351 or visit the program’s website <http://www.co.hunterdon.nj.us/health/westnile.htm>

Hunterdon County Mosquito & Vector Control 2020 Fact Sheet

Zenivex

Including formulations Zenivex E4, Aqua Zenivex E20 and Zenivex E20

This fact sheet answers some basic questions about mosquito control products in use in Hunterdon County. The Hunterdon County Division of Mosquito Control, along with several other resources (listed at the end of this sheet), can provide more detailed information. Municipalities are encouraged to share this information with all residents in their community.

What is Zenivex and how is it used?

Zenivex contains a pesticide called etofenprox, a member of the category of pesticides called non-ester pyrethroids, which are synthetic versions of pesticides produced by plants called pyrethrins. "Zenivex E4," "Zenivex E20" and "Aqua Zenivex E20" make reference to three different formulations and concentrations of the product. Aqua Zenivex E20 formulation is a water-based product, whereas the Zenivex E4 and Zenivex E20 products are different concentrations oil-based formulations (containing 4% and 20% active ingredient, respectively). Traditional pyrethroid/piperonyl butoxide mixtures are recommended for ultra-low-volume (ULV) mosquito control in New Jersey by Rutgers, The State University of New Jersey. Zenivex is a non-ester pyrethroid, and therefore does not require a synergist such as piperonyl butoxide. The U.S. Environmental Protection Agency (EPA) has classified etofenprox as a reduced risk molecule. It poses a low risk to human health and the environment when used properly as part of an integrated mosquito control program. As formulated in Zenivex adulticide, etofenprox is considered a non-carcinogen, non-teratogen and non-mutagen.

This non-ester pyrethroid-containing product is used for the control of adult mosquitoes. While habitat management and measures to control immature mosquitoes in water are preferred and most used, the spraying of adult mosquitoes is necessary when biting populations reach critical levels or when a disease organism is present in adult mosquitoes. A fine mist is sprayed into the air since flying mosquitoes must directly contact the pesticide for it to be effective.

How can I reduce my exposure to Etofenprox?

Because of the very small amounts of active ingredients released per acre, the risk to the general public from the use of non-ester pyrethroid-containing products is minimal. Avoiding exposure is always the safest course of action. Any possible exposure risk can be reduced by following these actions:

- Pay attention to notices about spraying found through newspapers, websites, automated telephone messages, or distributed by municipal, county or state agencies.
- Plan your activities to limit time spent outside during times of possible pesticide treatments.
- Move your pets, their food, and water dishes inside during ULV applications. Also bring clothing and children's toys inside.
- Stay away from application equipment, whether or not it is in use.
- Whenever possible, remain indoors with windows closed, window air conditioners on non-vent (closed to the outside air), and window fans turned off during spraying.
- Avoid direct contact with surfaces still wet from pesticide spraying. Do not allow children to play in areas that have been sprayed until they have completely dried (approximately one hour).

- If you must remain outdoors, avoid eye and skin contact with the spray. If you get spray in your eyes or on your skin, immediately flush and rinse with water.

What are the symptoms of exposure to etofenprox?

Symptoms of over-exposure can include irritation to skin and eyes. The chance of experiencing these symptoms of over-exposure with proper use is low. You should contact your physician, other medical providers, or the New Jersey Poison Information and Education System (NJPIES) at 1-800-222-1222 if you experience these symptoms following a pesticide spraying.

How long will Etofenprox last in the environment?

The non-ester pyrethroid in etofenprox has a half-life of 1.7 days in water and 4.4 days in soil. The etofenprox molecule rapidly degrades in sunlight at the soil and water surface into its constituent elements carbon, hydrogen and oxygen.

Where can I get more information on this aduicide?

The following are resources for more information regarding etofenprox and mosquito control in your area (unless otherwise noted, available during normal business hours):

For overall pesticide-specific information – 9:30am to 7:30pm:

National Pesticide Information Center **800-858-7378**

For pesticide health information & possible exposures – 24 hours:

New Jersey Poison Information & Education System **800-222-1222**

For New Jersey pesticide regulation & misuse complaints:

Bureau of Pesticide Compliance and Enforcement **609-984-6568**

For Federal pesticide regulation:

USEPA Region 2 Office of Pesticide Programs **732-321-6759**

For statewide mosquito control information:

NJDEP Office of Mosquito Control Coordination **609-292-3649**

For local mosquito control information:

Warren County Mosquito Control Commission **908-453-3585**

For mosquito control recommendations:

Rutgers University, Department of Entomology **732-932-9437**

If residents have questions about Duet or any other mosquito control related products or practices, please feel free to call the Hunterdon County Division of Mosquito & Vector Control (908) 788-1351 or visit the program's website <http://www.co.hunterdon.nj.us/health/westnife.htm>